

CONDUIT BODY FILL & VOLUME 2012

UPC No_	Size	Catalog No_	UNSPSC	Volume in Cubic Inches	Conductor Fill	Material	Crouse	Appleton	Gedney
03041	1/2	T-41CG	39131708	4.25	N/A	Aluminum	Series 5	Form 85	Similar to BPT
03042	3/4	T-42CG	39131708	7.2	3-#6 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03043	1	T-43CG	39131708	10.8	3-#4 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03044	1-1/4	T-44CG	39131708	30.5	3-#2 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03045	1-1/2	T-45CG	39131708	30.5	3-#2 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03046	2	T-46CG	39131708	70.7	3-#1 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03047	2-1/2	T-47CG	39131708	157.4	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT
03048	3	T-48CG	39131708	179.8	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT
03049	3-1/2	T-49CG	39131708	323	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT
03050	4	T-50CG	39131708	323	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT
03131	1/2	LB-31	39131708	4.25	N/A	Aluminum	Series 5	Form 85	Similar to BPT
03132	3/4	LB-32	39131708	7.2	3-#6 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03133	1	LB-33	39131708	10.8	3-#4 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03134	1-1/4	LB-34	39131708	30.5	3-#2 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03135	1-1/2	LB-35	39131708	30.5	3-1/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03136	2	LB-36	39131708	70.7	3-4/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03137	2-1/2	LB-37	39131708	152.5	3-300 MCM	Aluminum	Series 5	Form 85	Similar to BPT
03138	3	LB-38	39131708	152.5	3-350 MCM	Aluminum	Series 5	Form 85	Similar to BPT
03139	3-1/2	LB-39	39131708	311.8	3-400 MCM	Aluminum	Series 5	Form 85	Similar to BPT
03140	4	LB-40	39131708	311.8	3-400 MCM	Aluminum	Series 5	Form 85	Similar to BPT

CONDUIT BODY FILL & VOLUME 2012

UPC No_	Size	Catalog No_	UNSPSC	Volume in Cubic Inches	Conductor Fill	Material	Crouse	Appleton	Gedney
03231	1/2	LR-31	39131708	4.25	N/A	Aluminum	Series 5	Form 85	Similar to BPT
03232	3/4	LR-32	39131708	7.2	3-#6 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03233	1	LR-33	39131708	10.8	3-#4 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03234	1-1/4	LR-34	39131708	30.5	3-#2 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03235	1-1/2	LR-35	39131708	30.5	3-1/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03236	2	LR-36	39131708	70.7	3-4/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03331	1/2	LL-31	39131708	4.25	N/A	Aluminum	Series 5	Form 85	Similar to BPT
03332	3/4	LL-32	39131708	7.2	3-#6 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03333	1	LL-33	39131708	10.8	3-#4 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03334	1-1/4	LL-34	39131708	30.5	3-#2 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03335	1-1/2	LL-35	39131708	30.5	3-1/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03336	2	LL-36	39131708	70.7	3-4/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03431	1/2	C-31	39131708	4.25	N/A	Aluminum	Series 5	Form 85	Similar to BPT
03432	3/4	C-32	39131708	7.2	3-#6 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03433	1	C-33	39131708	10.8	3-#4 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03434	1-1/4	C-34	39131708	30.5	3-#2 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03435	1-1/2	C-35	39131708	30.5	3-1/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03436	2	C-36	39131708	70.7	3-2/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03441	1/2	LLR-41	39131708	5.5	N/A	Aluminum	Series 5	Form 85	Similar to BPT
03442	3/4	LLR-42	39131708	9.0	N/A	Aluminum	Series 5	Form 85	Similar to BPT

CONDUIT BODY FILL & VOLUME 2012

UPC No_	Size	Catalog No_	UNSPSC	Volume in Cubic Inches	Conductor Fill	Material	Crouse	Appleton	Gedney
03443	1	LLR-43	39131708	15.0	3-#4 AWG THHN	Aluminum	Series 5	Form 85	Similar to BPT
03444	1-1/4	LLR-44	39131708	39.5	3-#2 AWG THHN	Aluminum	Series 5	Form 85	Similar to BPT
03445	1-1/2	LLR-45	39131708	40.8	3-1/0 AWG THHN	Aluminum	Series 5	Form 85	Similar to BPT
03446	2	LLR-46	39131708	88.5	3-3/0 AWG THHN	Aluminum	Series 5	Form 85	Similar to BPT
03531	1/2	T-31	39131708	4.25	N/A	Aluminum	Series 5	Form 85	Similar to BPT
03532	3/4	T-32	39131708	7.2	3-#6 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03533	1	T-33	39131708	10.8	3-#4 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03534	1-1/4	T-34	39131708	30.5	3-#2 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03535	1-1/2	T-35	39131708	30.5	3-#2 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03536	2	T-36	39131708	70.7	3-#1 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03541	1/2	LL-41CG	39131708	4.25	N/A	Aluminum	Series 5	Form 85	Similar to BPT
03542	3/4	LL-42CG	39131708	7.2	3-#6 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03543	1	LL-43CG	39131708	10.8	3-#4 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03544	1-1/4	LL-44CG	39131708	30.5	3-#2 WAG	Aluminum	Series 5	Form 85	Similar to BPT
03545	1-1/2	LL-45CG	39131708	30.5	3-1/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03546	2	LL-46CG	39131708	70.7	3-4/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03547	2-1/2	LL-47CG	39131708	157.4	3-300 MCM	Aluminum	Series 5	Form 85	Similar to BPT
03548	3	LL-48CG	39131708	179.8	3-350 MCM	Aluminum	Series 5	Form 85	Similar to BPT
03549	3-1/2	LL-49CG	39131708	323	3-350 MCM	Aluminum	Series 5	Form 85	Similar to BPT
03550	4	LL-50CG	39131708	323	3-350 MCM	Aluminum	Series 5	Form 85	Similar to BPT

CONDUIT BODY FILL & VOLUME 2012

UPC No_	Size	Catalog No_	UNSPSC	Volume in Cubic Inches	Conductor Fill	Material	Crouse	Appleton	Gedney
03641	1/2	LB-41CG	39131708	4.25	N/A	Aluminum	Series 5	Form 85	Similar to BPT
03642	3/4	LB-42CG	39131708	7.2	3-#6 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03643	1	LB-43CG	39131708	10.8	3-#4 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03464	1-1/4	LB-44CG	39131708	30.5	3-#2 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03645	1-1/2	LB-45CG	39131708	30.5	3-1/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03646	2	LB-46CG	39131708	70.7	3-4/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03647	2-1/2	LB-47CG	39131708	152.5	3-300 MCM	Aluminum	Series 5	Form 85	Similar to BPT
03648	3	LB-48CG	39131708	152.5	3-350 MCM	Aluminum	Series 5	Form 85	Similar to BPT
03649	3-1/2	LB-49CG	39131708	311.8	3-400 MCM	Aluminum	Series 5	Form 85	Similar to BPT
03650	4	LB-50CG	39131708	311.8	3-400 MCM	Aluminum	Series 5	Form 85	Similar to BPT
03741	1/2	LR-41CG	39131708	4.25	N/A	Aluminum	Series 5	Form 85	Similar to BPT
03742	3/4	LR-42CG	39131708	7.2	3-#6 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03743	1	LR-43CG	39131708	10.8	3-#4 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03744	1-1/4	LR-44CG	39131708	30.5	3-#2 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03745	1-1/2	LR-45CG	39131708	30.5	3-1/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03746	2	LR-46CG	39131708	70.7	3-4/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03747	2-1/2	LR-47CG	39131708	157.4	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT
03748	3	LR-48CG	39131708	179.8	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT
03749	3-1/2	LR-49CG	39131708	323	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT
03750	4	LR-50CG	39131708	323	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT

CONDUIT BODY FILL & VOLUME 2012

UPC No_	Size	Catalog No_	UNSPSC	Volume in Cubic Inches	Conductor Fill	Material	Crouse	Appleton	Gedney
03937	2-1/2	C-37CG	39131708	157.4	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT
03938	3	C-38CG	39131708	179.8	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT
03939	3-1/2	C-39CG	39131708	323	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT
03940	4	C-40CG	39131708	323	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT
03941	1/2	C-41CG	39131708	4.25	N/A	Aluminum	Series 5	Form 85	Similar to BPT
03942	3/4	C-42CG	39131708	7.2	3-#6 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03943	1	C-43CG	39131708	10.8	3-#4 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03944	1-1/4	C-44CG	39131708	30.5	3-#2 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03945	1-1/2	C-45CG	39131708	30.5	3-1/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03946	2	C-46CG	39131708	70.7	3-2/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT
03947	2-1/2	C-47CG	39131708	157.4	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT
03948	3	C-48CG	39131708	179.8	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT
03949	3-1/2	C-49CG	39131708	323	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT
03950	4	C-50CG	39131708	323	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT
04141	1/2	LB-41	39131708	4.25	N/A	Aluminum	Series 5	Form 85	Similar to BPT
04142	3/4	LB-42	39131708	7.2	3-#6 AWG	Aluminum	Series 5	Form 85	Similar to BPT
04143	1	LB-43	39131708	10.8	3-#4 AWG	Aluminum	Series 5	Form 85	Similar to BPT
04144	1-1/4	LB-44	39131708	30.5	3-#2 AWG	Aluminum	Series 5	Form 85	Similar to BPT
04145	1-1/2	LB-45	39131708	30.5	3-1/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT
04146	2	LB-46	39131708	70.7	3-4/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT

CONDUIT BODY FILL & VOLUME 2012

UPC No_	Size	Catalog No_	UNSPSC	Volume in Cubic Inches	Conductor Fill	Material	Crouse	Appleton	Gedney
04147	2-1/2	LB-47	39131708	152.5	3-300 MCM	Aluminum	Series 5	Form 85	Similar to BPT
04148	3	LB-48	39131708	152.5	3-350 MCM	Aluminum	Series 5	Form 85	Similar to BPT
04149	3-1/2	LB-49	39131708	311.8	3-400 MCM	Aluminum	Series 5	Form 85	Similar to BPT
04150	4	LB-50	39131708	311.8	3-400 MCM	Aluminum	Series 5	Form 85	Similar to BPT
04241	1/2	LR-41	39131708	4.25	N/A	Aluminum	Series 5	Form 85	Similar to BPT
04242	3/4	LR-42	39131708	7.2	3-#6 AWG	Aluminum	Series 5	Form 85	Similar to BPT
04243	1	LR-43	39131708	10.8	3-#4 AWG	Aluminum	Series 5	Form 85	Similar to BPT
04244	1-1/4	LR-44	39131708	30.5	3-#2 AWG	Aluminum	Series 5	Form 85	Similar to BPT
04245	1-1/2	LR-45	39131708	30.5	3-1/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT
04246	2	LR-46	39131708	70.7	3-4/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT
04247	2-1/2	LR-47	39131708	157.4	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT
04248	3	LR-48	39131708	179.8	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT
04249	3-1/2	LR-49	39131708	323	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT
04250	4	LR-50	39131708	323	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT
04341	1/2	LL-41	39131708	4.25	N/A	Aluminum	Series 5	Form 85	Similar to BPT
04342	3/4	LL-42	39131708	7.2	3-#6 AWG	Aluminum	Series 5	Form 85	Similar to BPT
04343	1	LL-43	39131708	10.8	3-#4 AWG	Aluminum	Series 5	Form 85	Similar to BPT
04344	1-1/4	LL-44	39131708	30.5	3-#2 AWG	Aluminum	Series 5	Form 85	Similar to BPT
04345	1-1/2	LL-45	39131708	30.5	3-1/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT
04346	2	LL-46	39131708	70.7	3-4/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT

CONDUIT BODY FILL & VOLUME 2012

UPC No_	Size	Catalog No_	UNSPSC	Volume in Cubic Inches	Conductor Fill	Material	Crouse	Appleton	Gedney
04347	2-1/2	LL-47	39131708	157.4	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT
04348	3	LL-48	39131708	179.8	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT
04349	3-1/2	LL-49	39131708	323	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT
04350	4	LL-50	39131708	323	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT
04441	1/2	C-41	39131708	4.25	N/A	Aluminum	Series 5	Form 85	Similar to BPT
04442	3/4	C-42	39131708	7.2	3-#6 AWG	Aluminum	Series 5	Form 85	Similar to BPT
04443	1	C-43	39131708	10.8	3-#4 AWG	Aluminum	Series 5	Form 85	Similar to BPT
04444	1-1/4	C-44	39131708	30.5	3-#2 AWG	Aluminum	Series 5	Form 85	Similar to BPT
04445	1-1/2	C-45	39131708	30.5	3-1/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT
04446	2	C-46	39131708	70.7	3-2/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT
04447	2-1/2	C-47	39131708	157.4	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT
04448	3	C-48	39131708	179.8	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT
44490	3-1/2	C-49	39131708	323	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT
44500	4	C-50	39131708	323	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT
04541	1/2	T-41	39131708	4.25	N/A	Aluminum	Series 5	Form 85	Similar to BPT
04542	3/4	T-42	39131708	7.2	3-#6 AWG	Aluminum	Series 5	Form 85	Similar to BPT
04543	1	T-43	39131708	10.8	3-#4 AWG	Aluminum	Series 5	Form 85	Similar to BPT
04544	1-1/4	T-44	39131708	30.5	3-#2 AWG	Aluminum	Series 5	Form 85	Similar to BPT
04545	1-1/2	T-45	39131708	30.5	3-#2 AWG	Aluminum	Series 5	Form 85	Similar to BPT
04546	2	T-46	39131708	70.7	3-#1 AWG	Aluminum	Series 5	Form 85	Similar to BPT

CONDUIT BODY FILL & VOLUME 2012

UPC No_	Size	Catalog No_	UNSPSC	Volume in Cubic Inches	Conductor Fill	Material	Crouse	Appleton	Gedney
04547	2-1/2	T-47	39131708	157.4	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT
04548	3	T-48	39131708	179.8	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT
04549	3-1/2	T-49	39131708	323	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT
04550	4	T-50	39131708	323	3-250 MCM	Aluminum	Series 5	Form 85	Similar to BPT
05041	1/2	T-41CGC	39131708	4.25	N/A	Aluminum	Series 5	Form 85	Similar to BPT
05042	3/4	T-42CGC	39131708	7.2	3-#6 AWG	Aluminum	Series 5	Form 85	Similar to BPT
05043	1	T-43CGC	39131708	10.8	3-#4 AWG	Aluminum	Series 5	Form 85	Similar to BPT
05044	1-1/4	T-44CGC	39131708	30.5	3-#2 AWG	Aluminum	Series 5	Form 85	Similar to BPT
05045	1-1/2	T-45CGC	39131708	30.5	3-#2 AWG	Aluminum	Series 5	Form 85	Similar to BPT
05046	2	T-46CGC	39131708	70.7	3-#1 AWG	Aluminum	Series 5	Form 85	Similar to BPT
05541	1/2	LL-41CGC	39131708	4.25	N/A	Aluminum	Series 5	Form 85	Similar to BPT
05542	3/4	LL-42CGC	39131708	7.2	3-#6 AWG	Aluminum	Series 5	Form 85	Similar to BPT
05543	1	LL-43CGC	39131708	10.8	3-#4 AWG	Aluminum	Series 5	Form 85	Similar to BPT
05544	1-1/4	LL-44CGC	39131708	30.5	3-#2 AWG	Aluminum	Series 5	Form 85	Similar to BPT
05545	1-1/2	LL-45CGC	39131708	30.5	3-1/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT
05546	2	LL-46CGC	39131708	70.7	3-4/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT
05641	1/2	LB-41CGC	39131708	4.25	N/A	Aluminum	Series 5	Form 85	Similar to BPT
05642	3/4	LB-42CGC	39131708	7.2	3-#6 AWG	Aluminum	Series 5	Form 85	Similar to BPT
05643	1	LB-43CGC	39131708	10.8	3-#4 AWG	Aluminum	Series 5	Form 85	Similar to BPT

CONDUIT BODY FILL & VOLUME 2012

UPC No_	Size	Catalog No_	UNSPSC	Volume in Cubic Inches	Conductor Fill	Material	Crouse	Appleton	Gedney
05644	1-1/4	LB-44CGC	39131708	30.5	3-#2 AWG	Aluminum	Series 5	Form 85	Similar to BPT
05645	1-1/2	LB-45CGC	39131708	30.5	3-1/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT
05646	2	LB-46CGC	39131708	70.7	3-4/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT
05741	1/2	LR-41CGC	39131708	4.25	N/A	Aluminum	Series 5	Form 85	Similar to BPT
05742	3/4	LR-42CGC	39131708	7.2	3-#6 AWG	Aluminum	Series 5	Form 85	Similar to BPT
05743	1	LR-43CGC	39131708	10.8	3-#4 AWG	Aluminum	Series 5	Form 85	Similar to BPT
05744	1-1/4	LR-44CGC	39131708	30.5	3-#2 AWG	Aluminum	Series 5	Form 85	Similar to BPT
05745	1-1/2	LR-45CGC	39131708	30.5	3-1/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT
05746	2	LR-46CGC	39131708	70.7	3-4/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT
05941	1/2	C-41CGC	39131708	4.25	N/A	Aluminum	Series 5	Form 85	Similar to BPT
05942	3/4	C-42CGC	39131708	7.2	3-#6 AWG	Aluminum	Series 5	Form 85	Similar to BPT
05943	1	C-43CGC	39131708	10.8	3-#4 AWG	Aluminum	Series 5	Form 85	Similar to BPT
05944	1-1/4	C-44CGC	39131708	30.5	3-#2 AWG	Aluminum	Series 5	Form 85	Similar to BPT
05945	1-1/2	C-45CGC	39131708	30.5	3-1/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT
05946	2	C-46CGC	39131708	70.7	3-2/0 AWG	Aluminum	Series 5	Form 85	Similar to BPT
06161	1/2	LB-61	39131708	4.5	N/A	Malleable Iron	Form 5	Form 35	Spec 5
06162	3/4	LB-62	39131708	7.5	3-#6 AWG	Malleable Iron	Form 5	Form 35	Spec 5
06163	1	LB-63	39131708	12.5	3-#4 AWG	Malleable Iron	Form 5	Form 35	Spec 5
06164	1-1/4	LB-64	39131708	32.3	3-#2 AWG	Malleable Iron	Form 5	Form 35	Spec 5

CONDUIT BODY FILL & VOLUME 2012

UPC No_	Size	Catalog No_	UNSPSC	Volume in Cubic Inches	Conductor Fill	Material	Crouse	Appleton	Gedney
06165	1-1/2	LB-65	39131708	35.3	3-#1/0 AWG	Malleable Iron	Form 5	Form 35	Spec 5
06166	2	LB-66	39131708	73	3-4/0 AWG	Malleable Iron	Form 5	Form 35	Spec 5
06167	2-1/2	LB-67	39131708	138	3-500 MCM	Malleable Iron	Form 5	Form 35	Spec 5
06168	3	LB-68	39131708	170	3-500 MCM	Malleable Iron	Form 5	Form 35	Spec 5
06169	3-1/2	LB-69	39131708	300	3-350 MCM	Malleable Iron	Form 5	Form 35	Spec 5
06170	4	LB-70	39131708	328	3-350 MCM	Malleable Iron	Form 5	Form 35	Spec 5
06171	1/2	LB-61CG	39131708	4.5	N/A	Malleable Iron	Form 5	Form 35	Spec 5
06172	3/4	LB-62CG	39131708	7.5	3-#6 AWG	Malleable Iron	Form 5	Form 35	Spec 5
06173	1	LB-63CG	39131708	12.5	3-#4 AWG	Malleable Iron	Form 5	Form 35	Spec 5
06174	1-1/4	LB-64CG	39131708	32.8	3-#2 AWG	Malleable Iron	Form 5	Form 35	Spec 5
06175	1-1/2	LB-65CG	39131708	35.3	3-#2 AWG	Malleable Iron	Form 5	Form 35	Spec 5
06176	2	LB-66CG	39131708	73	3-4/0 AWG	Malleable Iron	Form 5	Form 35	Spec 5
06177	2-1/2	LB-67CG	39131708	142	3-300 MCM	Malleable Iron	Form 5	Form 35	Spec 5
06178	3	LB-68CG	39131708	173	3-350 MCM	Malleable Iron	Form 5	Form 35	Spec 5
06179	3-1/2	LB-69CG	39131708	292	3-350 MCM	Malleable Iron	Form 5	Form 35	Spec 5
06180	4	LB-70CG	39131708	324	3-350 MCM	Malleable Iron	Form 5	Form 35	Spec 5
06261	1/2	LR-61	39131708	4.5	N/A	Malleable Iron	Form 5	Form 35	Spec 5
06262	3/4	LR-62	39131708	7.5	3-#6 AWG	Malleable Iron	Form 5	Form 35	Spec 5
06263	1	LR-63	39131708	12.5	3-#4 AWG XHHW	Malleable Iron	Form 5	Form 35	Spec 5

CONDUIT BODY FILL & VOLUME 2012

UPC No_	Size	Catalog No_	UNSPSC	Volume in Cubic Inches	Conductor Fill	Material	Crouse	Appleton	Gedney
06264	1-1/4	LR-64	39131708	32.3	3-#2 AWG XHHW	Malleable Iron	Form 5	Form 35	Spec 5
06265	1-1/2	LR-65	39131708	35.3	3-1/0 AWG XHHW	Malleable Iron	Form 5	Form 35	Spec 5
06266	2	LR-66	39131708	73	3-4/0 AWG XHHW	Malleable Iron	Form 5	Form 35	Spec 5
06267	2-1/2	LR-67	39131708	138	3-300 MCM XHHW	Malleable Iron	Form 5	Form 35	Spec 5
06268	3	LR-68	39131708	170	3-350 MCM XHHW	Malleable Iron	Form 5	Form 35	Spec 5
06269	3-1/2	LR-69	39131708	300	3-350 MCM XHHW	Malleable Iron	Form 5	Form 35	Spec 5
06270	4	LR-70	39131708	328	3-350 MCM XHHW	Malleable Iron	Form 5	Form 35	Spec 5
06361	1	LL-61	39131708	4.5	N/A	Malleable Iron	Form 5	Form 35	Spec 5
06362	1-1/4	LL-62	39131708	7.5	3-#6 AWG	Malleable Iron	Form 5	Form 35	Spec 5
06363	1-1/2	LL-63	39131708	12.5	3-#4 AWG XHHW	Malleable Iron	Form 5	Form 35	Spec 5
06364	2	LL-64	39131708	32.3	3-#2 AWG XHHW	Malleable Iron	Form 5	Form 35	Spec 5
06365	2-1/2	LL-65	39131708	35.3	3-1/0 AWG XHHW	Malleable Iron	Form 5	Form 35	Spec 5
06366	3	LL-66	39131708	73	3-4/0 AWG XHHW	Malleable Iron	Form 5	Form 35	Spec 5
06367	2-1/2	LL-67	39131708	138	3-300 MCM XHHW	Malleable Iron	Form 5	Form 35	Spec 5
06368	3	LL-68	39131708	170	3-350 MCM XHHW	Malleable Iron	Form 5	Form 35	Spec 5
06369	3-1/2	LL-69	39131708	300	3-350 MCM XHHW	Malleable Iron	Form 5	Form 35	Spec 5
06370	4	LL-70	39131708	328	3-350 MCM XHHW	Malleable Iron	Form 5	Form 35	Spec 5

CONDUIT BODY FILL & VOLUME 2012

UPC No_	Size	Catalog No_	UNSPSC	Volume in Cubic Inches	Conductor Fill	Material	Crouse	Appleton	Gedney
06461	1/2	C-61	39131708	4.5	N/A	Malleable Iron	Form 5	Form 35	Spec 5
06462	3/4	C-62	39131708	7.5	3-#6 AWG	Malleable Iron	Form 5	Form 35	Spec 5
06463	1	C-63	39131708	12.5	3-#4 AWG XHHW	Malleable Iron	Form 5	Form 35	Spec 5
06464	1-1/4	C-64	39131708	32.3	3-#2 AWG XHHW	Malleable Iron	Form 5	Form 35	Spec 5
06465	1-1/2	C-65	39131708	35.3	3-1/0 AWG XHHW	Malleable Iron	Form 5	Form 35	Spec 5
06466	2	C-66	39131708	73	3-3/0 AWG XHHW	Malleable Iron	Form 5	Form 35	Spec 5
06467	2-1/2	C-67	39131708	138	3-250 MCM XHHW	Malleable Iron	Form 5	Form 35	Spec 5
06468	3	C-68	39131708	170	3-250 MCM XHHW	Malleable Iron	Form 5	Form 35	Spec 5
06469	3-1/2	C-69	39131708	300	3-350 MCM XHHW	Malleable Iron	Form 5	Form 35	Spec 5
06470	4	C-70	39131708	328	3-350 MCM XHHW	Malleable Iron	Form 5	Form 35	Spec 5
06561	1/2	T-61	39131708	6	N/A	Malleable Iron	Form 5	Form 35	Spec 5
06562	3/4	T-62	39131708	9.5	3-#6 AWG	Malleable Iron	Form 5	Form 35	Spec 5
06563	1	T-63	39131708	15	3-#4 AWG XHHW	Malleable Iron	Form 5	Form 35	Spec 5
06564	1-1/4	T-64	39131708	33	3-#2 AWG XHHW	Malleable Iron	Form 5	Form 35	Spec 5
06565	1-1/2	T-65	39131708	36	3-#1 AWG XHHW	Malleable Iron	Form 5	Form 35	Spec 5
06566	2	T-66	39131708	75	3-2/0 AWG XHHW	Malleable Iron	Form 5	Form 35	Spec 5
06567	2-1/2	T-67	39131708	138	3-4/0 AWG XHHW	Malleable Iron	Form 5	Form 35	Spec 5

CONDUIT BODY FILL & VOLUME 2012

UPC No_	Size	Catalog No_	UNSPSC	Volume in Cubic Inches	Conductor Fill	Material	Crouse	Appleton	Gedney
06568	3	T-68	39131708	170	3-4/0 AWG XHHW	Malleable Iron	Form 5	Form 35	Spec 5
06569	3-1/2	T-69	39131708	300	3-350 MCM XHHW	Malleable Iron	Form 5	Form 35	Spec 5
06570	4	T-70	39131708	328	3-350 MCM XHHW	Malleable Iron	Form 5	Form 35	Spec 5
44144	1-1/4	MLB-44	39131708	70	3-#2 AWG	Aluminum	Mogul	Mogul	Mogul
44145	1-1/2	MLB-45	39131708	128	3-1/0 AWG	Aluminum	Mogul	Mogul	Mogul
44146	2	MLB-46	39131708	128	3-4/0 AWG	Aluminum	Mogul	Mogul	Mogul
44147	2-1/2	MLB-47	39131708	349	3-400 MCM	Aluminum	Mogul	Mogul	Mogul
44148	3	MLB-48	39131708	349	3-500 MCM	Aluminum	Mogul	Mogul	Mogul
44149	3-1/2	MLB-49	39131708	709	3-750 MCM	Aluminum	Mogul	Mogul	Mogul
44150	4	MLB-50	39131708	709	3-1000 MCM	Aluminum	Mogul	Mogul	Mogul

Mogul LB The Bridgeport Mogul LB conduit bodies are compliant with the 2011 NEC 6X rule. A redesign of the cover allows for a significant increase in maximum allowable conductor fill. UL listed.



Previous

New

MLB-47 2-1/2" Previous max: 3-300MCM. New max : **3-400 MCM**

MLB-48 3" Previous max: 3-300MCM. New max: **3-500 MCM**

MLB-49 3-1/2" Previous max: 3-350MCM. New max: **3-750 MCM**

MLB-50 4" Previous max: 3-350MCM. New max: **3-1000 MCM**

Note: Bending radius dimension is now correct for fiber optic cables